

Technical data sheet Stationary bar code reader Part no.: 50116418 BCL 348i OL 100



The Sensor People In der Braike 1, 73277 Owen

Leuze electronic GmbH + Co. KG info@leuze.com • www.leuze.com

Phone: +49 7021 573-0 • Fax: +49 7021 573-199

We reserve the right to make technical changes eng • 2020-12-16

Technical data

Basic data

Series	BCL 300i		
Functions			
Functions	Alignment mode		
	AutoConfig		
	AutoControl		
	AutoReflAct		
	Code fragment technology		
	LED indicator		
	Reference code comparison		
Chanastanistia nanonastana			
Characteristic parameters			
MTTF	110 years		
Read data			
Code types, readable	2/5 Interleaved		
	Codabar		
	Code 128		
	Code 128 Code 39		
	Code 39		
	Code 39 Code 93		
	Code 39 Code 93 EAN 8/13		
	Code 39 Code 93 EAN 8/13 GS1 Databar Expanded		
	Code 39 Code 93 EAN 8/13 GS1 Databar Expanded GS1 Databar Limited		
Scanning rate, typical	Code 39 Code 93 EAN 8/13 GS1 Databar Expanded GS1 Databar Limited GS1 Databar Omnidirectional		

Optical data

Reading distance	80 680 mm Laser, Red		
Light source			
Laser light wavelength	655 nm		
Laser class	2, IEC/EN 60825-1:2007		
Transmitted-signal shape	Continuous		
Modulus size	0.35 0.8 mm		
Reading method	Oscillating-mirror scanner		
Beam deflection	Via rotating polygon wheel + stepping motor with mirror		
Light beam exit	Zero position at side at angle less than 90°		
Oscillating mirror frequency	10 Hz 20 °		
Max. swivel angle			
Electrical data			
Protective circuit	Polarity reversal protection		
Performance data			
Supply voltage U _B	18 30 V, DC		
Power consumption, max.	9 W		
Inputs/outputs selectable			

inpute/outpute obloctuble	
Output current, max.	60 mA
Number of inputs/outputs selectable	2 Piece(s)
Input current, max.	8 mA

Interface

Туре

PROFINET



Profinet Function	Process
Conformance class	В
Protocol	PROFINET RT
Switch functionality	Integrated
Transmission speed	10 Mbit/s
	100 Mbit/s
ervice interface	
уре	USB
USB	
Function	Configuration via software
	Service
Connection	
Number of connections	1 Piece(s)
	· ·
Connection 1	
Function	BUS IN
	Connection to device
	Data interface
	PWR / SW IN / OUT
	Service interface
Type of connection	Plug connector
No. of pins	32 -pin
Туре	Male
lechanical data	
Design	Cubic
Dimension (W x H x L)	125 mm x 58 mm x 110 mm
lousing material	Metal
Metal housing	Diecast aluminum
ens cover material	Glass
Vet weight	580 g
lousing color	Black
Tuno of footoning	Red
Type of fastening	Dovetail grooves
	Fastening on back Via optional mounting device
	via optional mounting device
Operation and display	
Type of display	LED
Type of display Number of LEDs	2 Piece(s)
ype of display Number of LEDs	
ype of display Number of LEDs Type of configuration	2 Piece(s)
Type of display Number of LEDs Type of configuration Environmental data Ambient temperature, operation	2 Piece(s)
Type of display Number of LEDs Type of configuration Environmental data	2 Piece(s) Via web browser

The Sensor People In der Braike 1, 73277 Owen

Technical data

Leuze

Certifications


Degree of protection	IP 65
Protection class	III
Certifications	c UL US
Test procedure for EMC in accordance	EN 55022
with standard	EN 61000-4-2, -3, -4, -6
Test procedure for shock in accordance with standard	IEC 60068-2-27, test Ea
Test procedure for continuous shock in accordance with standard	IEC 60068-2-29, test Eb
Test procedure for vibration in accordance with standard	IEC 60068-2-6, test Fc


Classification


Customs tariff number	84719000
eCl@ss 5.1.4	27280102
eCl@ss 8.0	27280102
eCl@ss 9.0	27280102
eCl@ss 10.0	27280102
eCl@ss 11.0	27280102
ETIM 5.0	EC002550
ETIM 6.0	EC002550
ETIM 7.0	EC002550

Dimensioned drawings

All dimensions in millimeters







A Optical axis

- B Swivel angle of the laser beam: \pm 20 $^{\circ}$
- C Deflection angle of the laser beam: \pm 30 $^{\circ}$
- D M4 thread (5 deep)

Electrical connection


Leuze

Connection 1

Function BUS IN Connection to device Data interface PWR / SW IN / OUT Service interface Type of connection Plug connector		
Data interface PWR / SW IN / OUT Service interface	Function	BUS IN
PWR / SW IN / OUT Service interface		Connection to device
Service interface		Data interface
		PWR / SW IN / OUT
Type of connection Plug connector		Service interface
5	Type of connection	Plug connector
No. of pins 32 -pin	No. of pins	32 -pin
Type Male	Туре	Male

Diagrams

Reading field curve




x Reading field distance [mm]

y Reading field width [mm]

Diagrams

Leuze

Lateral reading field curve



y Reading field height [mm]

Operation and display

LED	Display	Meaning
1 PWR	Green, flashing	Device ok, initialization phase
	Green, continuous light	Device OK
	Green, briefly off - on	Reading successful
	green, briefly off - briefly red - on	Reading not successful
	Orange, continuous light	Service mode
	Red, flashing	Device OK, warning set
	Red, continuous light	Error, device error
2 BUS	Green, flashing	Initialization
	Green, continuous light	Bus operation ok
	Red, flashing	Communication error
	Red, continuous light	Bus error

Part number code

Part designation: BCL XXXX YYZ AAA BB CCCC



BCL	Operating principle BCL: bar code reader
XXXX	Series/interface (integrated fieldbus technology) 300i: RS 232 / RS 422 (stand-alone) 301i: RS 485 (multiNet slave) 304i: PROFIBUS DP 308i: EtherNet TCP/IP, UDP 348i: PROFINET RT 358i: EtherNet/IP
YY	Scanning principle S: line scanner (single line) R1: line scanner (raster) O: oscillating-mirror scanner (oscillating mirror)
Z	Optics N: High Density (close) M: Medium Density (medium distance) F: Low Density (remote) L: Long Range (very large distances) J: ink-jet (depending on the application)
AAA	Beam exit 100: lateral 102: front
BB	Special equipment D: with display H: with heating DH: optionally with display and heating P: plastic exit window
CCCC	Functions F007: optimized process data structure
No	ote

Notes

	Observe intended use!
	b This product is not a safety sensor and is not intended as personnel protection.
	✤ The product may only be put into operation by competent persons.
•	∜ Only use the product in accordance with its intended use.

Notes

Leuze

	WARNING! LASER RADIATION - CLASS 2 LASER PRODUCT
	Do not stare into beam! The device satisfies the requirements of IEC 60825-1:2007 (EN 60825-1:2007) safety regulations for a product of laser class 2 as well as the U.S. 21 CFR 1040.10 regulations with deviations corresponding to "Laser Notice No. 50" from June 24, 2007.
7	Solution Never look directly into the laser beam or in the direction of reflected laser beams! If you look into the beam path over a longer time period, there is a risk of injury to the retina.
	✤ Do not point the laser beam of the device at persons!
	b Interrupt the laser beam using a non-transparent, non-reflective object if the laser beam is accidentally directed towards a person.
	₺ When mounting and aligning the device, avoid reflections of the laser beam off reflective surfaces!
	& CAUTION! Use of controls or adjustments or performance of procedures other than specified herein may result in hazardous light exposure.
	♦ Observe the applicable statutory and local laser protection regulations.
	 The device must not be tampered with and must not be changed in any way. There are no user-serviceable parts inside the device. Repairs must only be performed by Leuze electronic GmbH + Co. KG.

NOTE

Affix laser information and warning signs!

Laser information and warning signs are affixed to the device. In addition, self-adhesive laser information and warning signs (stick-on labels) are supplied in several languages.

- 🗞 Affix the laser information sheet to the device in the language appropriate for the place of use. When using the device in the US, use the stick-on label with the "Complies with 21 CFR 1040.10" note.
- Affix the laser information and warning signs near the device if no signs are attached to the device (e.g. because the device is too small) or if the attached laser information and warning signs are concealed due to the installation position.
- b Affix the laser information and warning signs so that they are legible without exposing the reader to the laser radiation of the device or other optical radiation.

Accessories

Connection technology - Connection cables

	Part no.	Designation	Article	Description
	50132079	KD U-M12-5A-V1- 050	Connection cable	Connection 1: Connector, M12, Axial, Female, A-coded, 5 -pin Connection 2: Open end Shielded: No Cable length: 5,000 mm Sheathing material: PVC
W	50135074	KS ET-M12-4A-P7- 050	Connection cable	Suitable for interface: Ethernet Connection 1: Connector, M12, Axial, Male, D-coded, 4 -pin Connection 2: Open end Shielded: Yes Cable length: 5,000 mm Sheathing material: PUR

Accessories

Leuze

Connection technology - Interconnection cables

	Part no.	Designation	Article	Description
	50117011	KB USB A - USB miniB	Service line	Suitable for interface: USB Connection 1: USB Connection 2: USB Shielded: Yes Cable length: 1,500 mm Sheathing material: PVC
	50137078	KSS ET-M12-4A- M12-4A-P7-050	Interconnection cable	Suitable for interface: Ethernet Connection 1: Connector, M12, Axial, Male, D-coded, 4 -pin Connection 2: Connector, M12, Axial, Male, D-coded, 4 -pin Shielded: Yes Cable length: 1,000 mm Sheathing material: PUR
	50135081	KSS ET-M12-4A- RJ45-A-P7-050	Interconnection cable	Suitable for interface: Ethernet Connection 1: Connector, M12, Axial, Male, D-coded, 4 -pin Connection 2: RJ45 Shielded: Yes Cable length: 5,000 mm Sheathing material: PUR

Mounting technology - Mounting brackets

 Part no.	Designation	Article	Description
50121433	BT 300 W	Mounting device	Design of mounting device: Angle, L-shape Fastening, at system: Through-hole mounting Mounting bracket, at device: Screw type Type of mounting device: Adjustable Material: Metal

Mounting technology - Rod mounts

	Part no.	Designation	Article	Description
S	50121435	BT 56 - 1	Mounting device	Functions: Static applications Design of mounting device: Mounting system Fastening, at system: For 12 mm rod, For 14 mm rod, For 16 mm rod Mounting bracket, at device: Clampable Material: Metal Tightening torque of the clamping jaws: 8 N·m

Mounting technology - Other

 Part no.	Designation	Article	Description
50124941	BTU 0300M-W	Mounting device	Fastening, at system: Through-hole mounting Mounting bracket, at device: Clampable, Groove mounting, Suited for M4 screws Material: Metal

The Sensor People In der Braike 1, 73277 Owen

Accessories

Leuze

Reflective tapes for standard applications

 Part no.	Designation	Article	Description
50106119	REF 4-A-100x100	Reflective tape	Design: Rectangular Reflective surface: 100 mm x 100 mm Material: Plastic Chemical designation of the material: PMMA Fastening: Self-adhesive

Services

	Part no.	Designation	Article	Description
D-	S981020	CS30-E-212	Hourly rate for "Configuration"	Details: Compilation of the application data, selection and suggestion of suitable sensor system, drawing prepared as assembly sketch. Conditions: Completed questionnaire or project specifications with a description of the application have been provided. Restrictions: Travel and accommodation charged separately and according to expenditure.
	S981014	CS30-S-110	Start-up support	Details: Performed at location of customer's choosing, duration: max. 10 hours. Conditions: Devices and connection cables are already mounted, price not including travel costs and, if applicable, accommodation expenses. Restrictions: No mechanical (mounting) and electrical (wiring) work performed, no changes (attachments, wiring, programming) to third-party components in the nearby environment.
	S981019	CS30-T-110	Product training	Details: Location and content to be agreed upon, duration: max. 10 hours. Conditions: Price not including travel costs and, if applicable, accommodation expenses. Restrictions: Travel costs and accommodation expenses charged separately and according to expenditure.
	S981021	CS30-V-212	Hourly rate for "Bar code qualification"	Details: REA evaluation with creation of a test report, evaluation of the code quality. Conditions: Original bar codes to be provided by the client.



♦ A list with all available accessories can be found on the Leuze website in the Download tab of the article detailed page.